

Plant Name:	Gentiana acaulis L.
Common Name:	Trumpet Gentian
Family:	Gentianaceae
problems. It is	s are used to treat digestive s helpful for many chronic best for solving appetite



Plant Name:	Azadirachta indica A. Juss.
Local Name:	Neem tree
Family:	Meliaceae
therefore user leaves are disorders, s allergies and	ungal, antiviral, properties d in various medicines. Its beneficial against eye tomach problems, skin heart problems. The plant iabetic properties.



Plant Name:	Hyoscyamus niger L.
Local Name:	Ajwain Khurassani
Family:	Solanaceae
Modicinal Uso:	

Medicinal Use:

It is best known for its used in treatment of arthritis and rheumatism. It is beneficial for respiratory disorders such as cough and asthama. It is used for the treatment of nervous disorders and stomach problems. It also has sedative effect therefore used as analgesic.



Plant Name:	Bergenia ciliata (Haw.) Sternb.
Common Name:	Winter begonia
Family:	Saxifragaceae
kidney stones.	n for its use in treatment of The plant is also beneficial ntestinal disorders.



Plant Name:	Saussurea lappa (Decne.) Sch. Bip.
Common Name:	Costus plant
Family:	Astraceae
Medicinal Use:	

It has anti-inflammatory and anticancer properties therefore used in various medicines. Its roots are used for the treatment of various skin infections. Costus oil is used for respiratory problems such as asthma, cough, gas, and severe intestinal diseases such as dysentery and cholera. Also used as a tonic for digestive problems.



Plant Name:	Viola odorata L.
Local Name:	Sweet Violet, Banafsha
Family:	Violaceae
cough, colds,	e treatment of headache, bronchitis, and fever. The sed in different Traditional



Plant Name:	Taxus wallichiana Zucc.
Common Name:	Himalayan yew
Family:	Тахасеае
use of young sl	dicine has made significant hoots and leaves and even long time in various lotions, astes.



Plant Name:	Podophyllum emodi Royle
Common Name:	Mayapple, Devil's apple, Duck's foot
Family:	Podophyllaceae
podophyllol, a	le and rootstock produce sticky resin, quarcetin and n of medicinal importance.



Plant Name:	Paeonia emodi Royle
Local Name:	Mamekhor or Mamekh
Family:	Paeoniaceae
nervous disord used for stoma	und tubers are useful in ers. The dried flowers are ach complaints (diarrhea). ourgative and emetic.



Plant Name:	Berberis lycium Royle
Common Name:	Zyarh larghai or Kashmal
Family:	Berberidaceae
parts of stem mixed with wat	ct from its roots and lower is called 'Rasaunt' and is er for use as cooling agent o used as an eye lotion.



Plant Name:	Aloe vera (L.) Burm.f.
Common Name:	Aloe vera
Family:	Asphodelaceae
such as lotions cr inflammatory and in hair treatment c	used in different skin care items reams and masks due to its anti anti aging properties. Also used oils and shampoos to recover the etter growth of hairs. Also known

for its antiviral, anti bacterial properties due to

presence of polyphenols.



Moringa oleifera Lam.
Sohanjna
Moringaceae

Medicinal Use:

Oral administration of dried powder of Moringa leaves is beneficial for anemia patients. Extracts of pods are also used against many diseases such as arthritis and rheumatism. Good for respiratory issues such as asthma and bronchitis. Due to presence of many pharmacologically active compounds it is used in medicine against cancer, constipation, diabetes, diarrhea, , stomach and intestinal ulcers, stomach pain, headache, heart problems, high blood pressure, kidney stones.



Plant Name:	Olea ferruginea Royle
Local Name:	Olive, kahu
Family:	Oleaceae
Medicinal Use: Decoction of leaves is used for toothache and oral administration is a common practice against sore throat and other problems.	



Plant Name:	Phytolacca latbenia (Moq.) Maxim.
Local Name:	Poke Bush or Poke Berry, Luber
Family:	Phytolaccaceae
externally appl rheumatism, a bones. Its moth	red from the plant are lied for the treatment of and to strengthen weak er tincture has the potential to treat fungal infections.



Plant Name:	Geranium dissectum Hook.f.
Local Name:	Poke Bush or Poke Berry, Luber
Family:	Geraniaceae
Medicinal Use: The plant is anti-septic, highly astringent and used as a tonic. Decoction of whole plant or a part of plant is used against digestive problems such as nausea, diarrhea and dysentery.	